

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L31	1	(double near3 layer near3 capacitor and diameter and specific near3 resistance and activated near3 carbon and electrodes). cm.	US-PGPUB	OR	ON	2006/03/07 17:04

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	578	(361/502).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/03/07 15:53
L2	266	(361/503).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/03/07 15:53
L3	10047	(double near2 layer electrochemical) near2 capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 16:24
L4	69962	activated near3 carbon	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 16:25
L5	5695	4 same diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 16:25
L6	353	3 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 16:54
L7	242	6 and density	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 16:32
L8	9	7 and specific near3 resistance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 16:54
L9	5	("6288888").URPN.	USPAT	OR	ON	2006/03/07 16:28
L10	14926	4 and density	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 16:32
L11	264	10 and (volume specific) near3 resistance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 17:11
L12	76	3 and 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 16:46

EAST Search History

L13	0	361/500,520-504	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 16:46
L14	996	(361/500,502-504).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/03/07 16:47
L15	580	3 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 16:58
L16	56	15 and (volume specific) near3 resistance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 16:54
L17	1082	(29/25.03).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/03/07 16:54
L18	194	3 and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 16:55
L19	10	18 and specific near3 resistance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 17:11
L20	868	(429/215,217).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/03/07 17:05
L21	38	3 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 17:00
L26	36742	("429").CLAS.	US-PGPUB; USPAT	OR	OFF	2006/03/07 16:58
L27	551	3 and 26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 16:58
L28	27	27 and (volume specific) near3 resistance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 16:59
L29	1049	(429/185,189).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/03/07 17:00

EAST Search History

L30	34	3 and 29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 17:03
L31	1	(double near3 layer near3 capacitor and diameter and specific near3 resistance and activated near3 carbon and electrodes). clm.	US-PGPUB	OR	ON	2006/03/07 17:04
L32	197	(361/512).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/03/07 17:05
L33	7	32 and specific near3 resistance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 17:11
L34	11	32 and (volume specific) near3 resistance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 17:11